

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

BIZOL Pro Catalytic System Clean+ p82

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Additive for mineral oil products

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Bizol Germany GmbH
Martin-Buber-Straße 12
14163 Berlin
Germany

Telephone no. +49 (0) 30 80 48 69-0

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411

Asp. Tox. 1; H304

STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS07



GHS08



GHS09

Signal word

Danger

Hazardous component(s) to be indicated on label:

hydrocarbons, C10, aromatics, <1% naphthalene

Hazard statement(s)

H304

May be fatal if swallowed and enters airways.

H336

May cause drowsiness or dizziness.

H411

Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066

Repeated exposure may cause skin dryness or cracking.

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

Precautionary statement(s)

P273 Avoid release to the environment.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331 Do NOT induce vomiting.
P391 Collect spillage.

2.3 Other hazards

PBT assessment
No data available.

vPvB assessment
No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

| No | Substance name | Additional information | |
|----|--|--|------------------------|
| | CAS / EC / Index / REACH no | Classification (EC) 1272/2008 (CLP) | Concentration % |
| 1 | hydrocarbons, C10, aromatics, <1% naphthalene | | |
| - | 918-811-1 | Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 | >= 50.00 - < 70.00 wt% |
| - | 01-2119463583-34 | STOT SE 3; H336 | |
| 2 | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics | | |
| - | 918-481-9 | Asp. Tox. 1; H304 EUH066 | < 5.00 wt% |
| - | - | | |
| - | - | | |
| 3 | 2-ethylhexan-1-ol | | |
| - | 104-76-7 | Eye Irrit. 2; H319 | < 2.50 wt% |
| - | 203-234-3 | Skin Irrit. 2; H315 | |
| - | - | STOT SE 3; H335 | |
| - | 01-2119487289-20 | Acute Tox. 4; H332 | |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting - aspiration hazard. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down).

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon dioxide (CO₂); Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

Recommended storage temperature

Value < 50 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Protect from heat and direct sunlight.

Incompatible products

Do not store together with: Acids; Alkalies; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

| No | Substance name | CAS no. | EC no. |
|----|--|----------|-------------------------|
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| | 2017/164/EU | | |
| | 2-ethylhexan-1-ol | | |
| | WEL long-term (8-hr TWA reference period) | 5.4 | mg/m ³ 1 ppm |
| | List of approved workplace exposure limits (WELs) / EH40 | | |
| | 2-ethylhexan-1-ol | | |
| | WEL long-term (8-hr TWA reference period) | 5.4 | mg/m ³ 2 ppm |

DNEL, DMEL and PNEC values

DNEL values (worker)

| No | Substance name | CAS / EC no | | |
|----|---|---------------------|----------|-------------------------|
| | Route of exposure | Exposure time | Effect | Value |
| 1 | hydrocarbons, C10, aromatics, <1% naphthalene | - | | 918-811-1 |
| | dermal | Long term (chronic) | systemic | 12.5 mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 151 mg/m ³ |
| 2 | 2-ethylhexan-1-ol | 104-76-7 | | 203-234-3 |
| | dermal | Long term (chronic) | systemic | 23 mg/kg/day |
| | inhalative | Short term (acute) | local | 106.4 mg/m ³ |
| | inhalative | Long term (chronic) | systemic | 53.2 mg/m ³ |

DNEL value (consumer)

| No | Substance name | CAS / EC no | | |
|----|---|---------------------|----------|------------------------|
| | Route of exposure | Exposure time | Effect | Value |
| 1 | hydrocarbons, C10, aromatics, <1% naphthalene | - | | 918-811-1 |
| | oral | Long term (chronic) | systemic | 7.5 mg/kg/day |
| | dermal | Long term (chronic) | systemic | 7.5 mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 32 mg/m ³ |
| 2 | 2-ethylhexan-1-ol | 104-76-7 | | 203-234-3 |
| | oral | Long term (chronic) | systemic | 1.1 mg/kg/day |
| | dermal | Long term (chronic) | systemic | 11.4 mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 2.3 mg/m ³ |
| | inhalative | Short term (acute) | local | 53.2 mg/m ³ |

PNEC values

| No | Substance name | CAS / EC no | |
|----|------------------------|-------------|-----------|
| | ecological compartment | Type | Value |
| 1 | 2-ethylhexan-1-ol | | 104-76-7 |
| | | | 203-234-3 |

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

| | | | |
|-------------------------------|-----------------------|--------|-------|
| water | fresh water | 0.017 | mg/L |
| water | marine water | 0.0017 | mg/L |
| water | Aqua intermittent | 0.17 | mg/L |
| water | fresh water sediment | 0.28 | mg/kg |
| with reference to: dry weight | | | |
| water | marine water sediment | 0.028 | mg/kg |
| with reference to: dry weight | | | |
| soil | - | 0.047 | mg/kg |
| with reference to: dry weight | | | |
| sewage treatment plant | - | 10 | mg/L |
| secondary poisoning | - | 55 | mg/kg |
| with reference to: food | | | |

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter

Respirator EN14387-A

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: PVC

Material thickness 0.8 mm

Breakthrough time 4 h

Other

Normal chemical work clothing.

Appropriate Material cotton

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--------------------------------------|----------|
| State of aggregation | |
| liquid | |
| Form/Colour | |
| liquid | |
| Various, depending on coloration | |
| Odour | |
| No data available | |
| pH value | |
| No data available | |
| Boiling point / boiling range | |
| Value | > 160 °C |
| Melting point/freezing point | |

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

No data available

Decomposition temperature

No data available

Flash point

Value > 61 °C

Ignition temperature

No data available

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

Density

No data available

Solubility

No data available

Partition coefficient n-octanol/water (log value)

| No | Substance name | CAS no. | EC no. |
|-----------------------|-------------------|----------|-----------|
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| log Pow | | 2.9 | |
| Reference temperature | | 25 | °C |
| Method | | OECD 117 | |
| Source | | ECHA | |

Viscosity

Value < 20.5 mm²/s
Reference temperature 40 °C
Type kinematic

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acute oral toxicity | | | |
|---------------------------|-------------------|---|------------------|
| No | Substance name | CAS no. | EC no. |
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| LD50 | | 2047 | mg/kg bodyweight |
| Species | | rat | |
| Method | | OECD 401 | |
| Source | | ECHA | |
| Evaluation/classification | | Based on available data, the classification criteria are not met. | |

| Acute dermal toxicity | | | |
|---------------------------|-------------------|---|------------------|
| No | Substance name | CAS no. | EC no. |
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| LD50 | | > 3000 | mg/kg bodyweight |
| Species | | rabbit | |
| Method | | OECD 402 | |
| Source | | ECHA | |
| Evaluation/classification | | Based on available data, the classification criteria are not met. | |

| Acute inhalational toxicity (result of the ATE calculation for the mixture) | |
|---|---|
| No | Product Name |
| 1 | BIZOL Pro Catalytic System Clean+ p82 |
| Comments | The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists). |

| Acute inhalational toxicity | | | |
|-----------------------------|-------------------|---|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| LC50 | | 1.1 - 4.3 | mg/l |
| Duration of exposure | | 4 | h |
| State of aggregation | | Dust/mist | |
| Species | | rat | |
| Method | | OECD 403 | |
| Source | | ECHA | |
| Evaluation/classification | | Based on available data, the classification criteria are met. | |

| Skin corrosion/irritation | | | |
|---------------------------|-------------------|---|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| Species | | rabbit | |
| Method | | OECD 404 | |
| Source | | ECHA | |
| Evaluation | | irritant | |
| Evaluation/classification | | Based on available data, the classification criteria are met. | |

| Serious eye damage/irritation | | | |
|-------------------------------|-------------------|----------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| Species | | rabbit | |
| Method | | OECD 405 | |

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

| | |
|---|---|
| Source Evaluation Evaluation/classification | ECHA Irritating to eyes Based on available data, the classification criteria are met. |
|---|---|

| |
|--|
| Respiratory or skin sensitisation |
| No data available |

| |
|-------------------------------|
| Germ cell mutagenicity |
| No data available |

| |
|------------------------------|
| Reproduction toxicity |
| No data available |

| |
|------------------------|
| Carcinogenicity |
| No data available |

| |
|-------------------------------|
| STOT - single exposure |
| No data available |

| |
|---------------------------------|
| STOT - repeated exposure |
| No data available |

| |
|--------------------------|
| Aspiration hazard |
| No data available |

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish (acute) | | | |
|--------------------------|---|----------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | hydrocarbons, C10, aromatics, <1% naphthalene | - | 918-811-1 |
| LL50 | >= 2 | - 5 | mg/l |
| Duration of exposure | | 96 | h |
| Species | Oncorhynchus mykiss | | |
| Method | OECD 203 | | |
| Source | ECHA | | |
| 2 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| LC50 | | 17.1 | mg/l |
| Duration of exposure | | 96 | h |
| Species | Leuciscus idus melanotus | | |
| Source | ECHA | | |

| |
|-----------------------------------|
| Toxicity to fish (chronic) |
| No data available |

| Toxicity to Daphnia (acute) | | | |
|-----------------------------|---|----------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | hydrocarbons, C10, aromatics, <1% naphthalene | - | 918-811-1 |
| EL50 | >= 3 | - 10 | mg/l |
| Duration of exposure | | 48 | h |
| Species | Daphnia magna | | |
| Method | OECD 202 | | |
| Source | ECHA | | |
| 2 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| EC50 | | 39 | mg/l |
| Duration of exposure | | 48 | h |
| Species | Daphnia magna | | |
| Source | ECHA | | |

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

| Toxicity to Daphnia (chronic) | | | |
|-------------------------------|--|--|--|
| No data available | | | |

| Toxicity to algae (acute) | | | |
|---------------------------|---|----------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | hydrocarbons, C10, aromatics, <1% naphthalene | - | 918-811-1 |
| EL50 | >= 1 | - 3 | mg/l |
| Duration of exposure | | 72 | h |
| Species | Pseudokirchneriella subcapitata | | |
| Method | OECD 201 | | |
| Source | ECHA | | |
| 2 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| EC50 | | 11.5 | mg/l |
| Duration of exposure | | 72 | h |
| Species | Desmodesmus subspicatus | | |
| Source | ECHA | | |

| Toxicity to algae (chronic) | | | |
|-----------------------------|--|--|--|
| No data available | | | |

| Bacteria toxicity | | | |
|-------------------|--|--|--|
| No data available | | | |

12.2 Persistence and degradability

| Biodegradability | | | |
|------------------|---|----------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | hydrocarbons, C10, aromatics, <1% naphthalene | - | 918-811-1 |
| Type | COD | | |
| Value | | 49.56 | % |
| Duration | | 28 | day(s) |
| Method | OECD 301 F | | |
| Source | ECHA | | |
| Evaluation | not readily biodegradable | | |
| 2 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| Type | aerobic biodegradation | | |
| Value | 79 | - 99.9 | % |
| Duration | | 2 | week/s |
| Method | OECD 301 C | | |
| Source | ECHA | | |
| Evaluation | readily biodegradable | | |

12.3 Bioaccumulative potential

| Partition coefficient n-octanol/water (log value) | | | |
|---|-------------------|----------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | 2-ethylhexan-1-ol | 104-76-7 | 203-234-3 |
| log Pow | | 2.9 | |
| Reference temperature | | 25 | °C |
| Method | OECD 117 | | |
| Source | ECHA | | |

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

| Results of PBT and vPvB assessment | |
|------------------------------------|--------------------|
| PBT assessment | No data available. |
| vPvB assessment | No data available. |

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

| | |
|--|---|
| Class | 9 |
| Classification code | M6 |
| Packing group | III |
| Hazard identification no. | 90 |
| UN number | UN3082 |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Technical name | hydrocarbons, C10, aromatics, <1% naphthalene |
| Tunnel restriction code | - |
| Label | 9 |
| Environmentally hazardous substance mark | Symbol "fish and tree" |

14.2 Transport IMDG

| | |
|-----------------------|---|
| Class | 9 |
| Packing group | III |
| UN number | UN3082 |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Technical name | hydrocarbons, C10, aromatics, <1% naphthalene |
| EmS | F-A, S-F |
| Label | 9 |
| Marine pollutant mark | Symbol "fish and tree" |

14.3 Transport ICAO-TI / IATA

| | |
|--|---|
| Class | 9 |
| Packing group | III |
| UN number | UN3082 |
| Proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Technical name | hydrocarbons, C10, aromatics, <1% naphthalene |
| Label | 9 |
| Environmentally hazardous substance mark | Symbol "fish and tree" |

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

EU safety data sheet

Trade name: BIZOL Pro Catalytic System Clean+ p82

Product no.: 1151

Current version : 2.0.1, issued: 29.04.2021

Replaced version: 2.0.0, issued: 25.03.2021

Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

E2

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 774228